

Soft Attachment blocks

S20 S30 S40
S20+ S30+ S40+



Soft Attachment blocks

Go for low friction and low weight combined with a soft and flexible assembly. Our range offers three sheave sizes, two sheave versions and the selection between stainless bearings or Torlon® bearings. Choose between the complete assembly including a ready-made spliced loop or just the block itself for lashing.



S20

SINGLE
402-101-60-01R



S30

SINGLE
403-101-60-01R



S40

SINGLE
404-101-60-01R

Standard acetal sheave, ball bearings in stainless steel, loop included (for S20/S20+ lashing only)



S20+

SINGLE
402-101-65-01R



S30+

SINGLE
403-101-65-01R



S40+

SINGLE
404-101-65-01R

Aluminium sheave, ball bearings in Torlon®, loop included (for S20/S20+ lashing only)

S20 Standard acetal sheave,
ball bearings in stainless steel



402-101-60R



402-101-61R

S20+ Aluminium sheave,
ball bearings in Torlon®



402-101-65R

S30 Standard acetal sheave,
ball bearings in stainless steel



403-101-60R



403-101-61R

S30+ Aluminium sheave,
ball bearings in Torlon®



403-101-65R

S40 Standard acetal sheave,
ball bearings in stainless steel



404-101-60R



404-101-61R

S40+ Aluminium sheave,
ball bearings in Torlon®



404-101-65R

Block insert* and loop is available as a kit.

For	Art. No.
S20/S20+	614-529R (lashing only)
S30/S30+	614-527-01R
S40/S40+	614-528-01R

*Block insert is used for the S30 and S40 series.
Registered Design 6134080 of Seldén Masts Limited.



	Art. No.	Weight, g	Safe working Load, kg	Breaking Load, kg	Max line size, mm	Max line size to tie-on, mm
S20	402-101-60R	9	100	200	6	4
S20	402-101-61R	16	100	200	6	4
S20+	402-101-65R	10	200	400	6	4
S30	403-101-60R	18	200	450	8	5
S30	403-101-61R	34	200	450	8	5
S30+	403-101-65R	21	275	550	8	5
S40	404-101-60R	47	250	500	10	6
S40	404-101-61R	88	250	500	10	6
S40+	404-101-65R	49	350	700	10	6

	Art. No.	Weight, g	Safe working Load, kg	Breaking Load, kg	Max line size, mm	Characteristics
S20	402-101-60-01R	45	100	200	6	SS ball bearings/Acetal sheave
S30	403-101-60-01R	69	150	300	8	SS ball bearings/Acetal sheave
S40	404-101-60-01R	128	250	500	10	SS ball bearings/Acetal sheave
S20+	402-101-65-01R	20	200	400	6	Torlon ball bearings/Alu sheave
S30+	403-101-65-01R	48	150	300	8	Torlon ball bearings/Alu sheave
S40+	404-101-65-01R	111	350	700	10	Torlon ball bearings/Alu sheave

DINGHIESKEELBOATSYACHTS

Seldén Mast AB, Sweden

Tel +46 (0)31 69 69 00
e-mail info@seldenmast.com

Seldén Mast Limited, UK

Tel +44 (0)1329 50 40 00
e-mail info@seldenmast.co.uk

Seldén Mast Inc., USA

Tel +1 843-760-6278
e-mail info@seldenus.com

Seldén Mast A/S, Denmark

Tel +45 39 18 44 00
e-mail info@seldenmast.dk

**Seldén Mid Europe B.V.,
Netherlands**

Tel +31 (0)111-698 120
e-mail info@seldenmast.nl

Seldén Mast SAS, France

Tel +33 (0)251 362 110
e-mail info@seldenmast.fr

**Seldén Mast Asia Ltd,
Hong Kong**

Tel +852 3572 0613
e-mail info@seldenmast.com.hk

www.seldenmast.com

The Seldén Group is the world's leading manufacturer of mast and rigging systems in carbon and aluminium for dinghies, keelboats and yachts.

Our well known brands are Seldén and Furlex.

The worldwide success of Furlex has enabled us to build a network of over 750 authorised dealers covering the world's marine markets. So wherever you sail, you can be sure of fast access to our service, spare parts and know-how.

SELDÉN and FURLEX are registered trademarks of Seldén Mast AB.